



Classification Report PERMANENT POTHOLE REPAIR

Company Identification

Leverantör Instarmac Group plc
 Danny Morson Way
 Birch Coppice Business Park
 Dordon, Tamworth
 Staffordshire. B78 1SE
 United Kingdom
 Tel: +44 (0) 1827 872244
 Fax: +44 (0) 1827 874466
 email@instarmac.co.uk www.instarmac.co.uk

Mixture Identification

Säkerhetsdatablads Nr. 10654
Produktnamn PERMANENT POTHOLE REPAIR

Hazard Identification

Faroangivelser NC Ej Klassificerad
Child-Resistant Fastening No
Tactile Warning of Danger No

Classification

Fysikaliska faror Ej Klassificerad
Hälsofaror Ej Klassificerad
Miljöfaror Ej Klassificerad

Entered Formulation

SDS nummer	Namn	Innehåll %
20036	BITUMEN TACKT STEN (20036)	95.238%
10045	ROAD BASE BINDER INSTARMAC MIX (10045)	4.762%

Constituent Chemicals

1	BITUMEN TACKT STEN (20036)	95.238%
CAS-nummer: —	EG-nummer: —	Produktnummer: Z10MM SK STONE, Z3MM SK STONE, Z6MM SK STONE
EU-indexnummer: —	REACH-registreringsnummer: —	
Fysikaliska faror	Ej Klassificerad	
Hälsofaror	Ej Klassificerad	
Miljöfaror	Ej Klassificerad	

PERMANENT POTHOLE REPAIR

2 ASFALT BITUMEN (20123)			3.5610236%
CAS-nummer: 8052-42-4	EG-nummer: 232-490-9	Produktnummer: ZBITUMEN 70/100, 160/220	
EU-indexnummer: —	REACH-registreringsnummer: 01-2119480172-44-0007		
Fysikaliska faror	Ej Klassificerad		
Hälsofaror	Ej Klassificerad		
Miljöfaror	Ej Klassificerad		
3 SOLVENTNAFTA (PETROLEUM), MEDELTUNG ALIFATISK (1695)			0.74531491%
CAS-nummer: 64742-88-7	EG-nummer: 265-191-7	Produktnummer: —	
EU-indexnummer: 649-405-00-X	REACH-registreringsnummer: —		
Fysikaliska faror	Ej Klassificerad		
Hälsofaror	Asp. Tox. 1 - H304		
Miljöfaror	Ej Klassificerad		
4 1,2,4-TRIMETYL BENZEN (1392)			0.16180324%
CAS-nummer: 95-63-6	EG-nummer: 202-436-9	Produktnummer: —	
EU-indexnummer: 601-043-00-3	REACH-registreringsnummer: 01-2119472135-42-0000		
Fysikaliska faror	Flam. Liq. 3 - H226		
Hälsofaror	Acute Tox. 4 - H332, Skin Irrit. 2 - H315, Eye Irrit. 2 - H319, STOT SE 3 - H335		
Miljöfaror	Aquatic Chronic 2 - H411		
5 Solvent Naphtha (Petroleum), Light Aromatic (20041)			0.12450249%
CAS-nummer: 64742-95-6	EG-nummer: 265-199-0	Produktnummer: —	
EU-indexnummer: 649-356-00-4	REACH-registreringsnummer: —		
Fysikaliska faror	Ej Klassificerad		
Hälsofaror	Muta. 1B - H340, Carc. 1B - H350, Asp. Tox. 1 - H304		
Miljöfaror	Ej Klassificerad		
6 MESITYLEN (375)			0.0566678%
CAS-nummer: 108-67-8	EG-nummer: 203-604-4	Produktnummer: —	
EU-indexnummer: 601-025-00-5	REACH-registreringsnummer: —		
Fysikaliska faror	Flam. Liq. 3 - H226		
Hälsofaror	STOT SE 3 - H335		
Miljöfaror	Aquatic Chronic 2 - H411		

PERMANENT POT HOLE REPAIR

7 PENTAERYTHRITOL TETRAOLEATE (20122)			0.033334%
CAS-nummer: 19321-40-5	EG-nummer: 242-960-5	Produktnummer: ZPENT TETRALEAT	
EU-indexnummer: —	REACH-registreringsnummer: —		
Fysikaliska faror	Ej Klassificerad		
Hälsöfaror	Ej Klassificerad		
Miljöfaror	Ej Klassificerad		
8 HYDROGENATED TALLOW AMINE (20124)			0.0266672%
CAS-nummer: —	EG-nummer: —	Produktnummer: ZTALLOW AMINE	
EU-indexnummer: —	REACH-registreringsnummer: —		
Fysikaliska faror	Ej Klassificerad		
Hälsöfaror	Skin Irrit. 2 - H315, Eye Dam. 1 - H318		
Miljöfaror	Aquatic Acute 1 - H400		
9 XYLENE (371)			0.02240045%
CAS-nummer: 1330-20-7	EG-nummer: 215-535-7	Produktnummer: —	
EU-indexnummer: 601-022-00-9	REACH-registreringsnummer: 01-2119488216-32-0000		
Fysikaliska faror	Flam. Liq. 3 - H226		
Hälsöfaror	Acute Tox. 4 - H312, Acute Tox. 4 - H332, Skin Irrit. 2 - H315		
Miljöfaror	Ej Klassificerad		
10 PROPYLBENZEN (373)			0.01133356%
CAS-nummer: 103-65-1	EG-nummer: 203-132-9	Produktnummer: —	
EU-indexnummer: 601-024-00-X	REACH-registreringsnummer: —		
Fysikaliska faror	Flam. Liq. 3 - H226		
Hälsöfaror	STOT SE 3 - H335, Asp. Tox. 1 - H304		
Miljöfaror	Aquatic Chronic 2 - H411		
11 Bitumen Modifier (20121)			0.0076192%
CAS-nummer: —	EG-nummer: —	Produktnummer: ZPB1	
EU-indexnummer: —	REACH-registreringsnummer: —		
Fysikaliska faror	Ej Klassificerad		
Hälsöfaror	Ej Klassificerad		
Miljöfaror	Ej Klassificerad		

PERMANENT POTHOLE REPAIR

12 CUMENE (374)			0.00705014%
CAS-nummer: 98-82-8	EG-nummer: 202-704-5	Produktnummer: —	
EU-indexnummer: 601-024-00-X	REACH-registreringsnummer: 01-2119473983-24-0000		
Fysikaliska faror	Flam. Liq. 3 - H226		
Hälsöfaror	STOT SE 3 - H335, Asp. Tox. 1 - H304		
Miljöfaror	Aquatic Chronic 2 - H411		
13 ETYLBENZEN (372)			0.00428342%
CAS-nummer: 100-41-4	EG-nummer: 202-849-4	Produktnummer: —	
EU-indexnummer: 601-023-00-4	REACH-registreringsnummer: —		
Fysikaliska faror	Flam. Liq. 2 - H225		
Hälsöfaror	Acute Tox. 4 - H332		
Miljöfaror	Ej Klassificerad		

Fysikaliska och kemiska farliga egenskaper

2.1 Explosives

Ej Klassificerad

2.2 Flammable Gases

Ej Klassificerad

2.3 Aerosols

Ej Klassificerad

2.4 Oxidising Gases

Ej Klassificerad

2.5 Gases Under Pressure

Ej Klassificerad

2.6 Flammable Liquids

Ej Klassificerad

% Content			0,26%
Flam. Liq. 2			0,0043%
	ETYLBENZEN	0,0043%	
Flam. Liq. 3			0,26%
	1,2,4-TRIMETYLBENZEN	0,16%	
	MESITYLEN	0,057%	
	XYLENE	0,022%	
	PROPYLBENZEN	0,011%	
	CUMENE	0,0071%	

2.7 Flammable Solids

Ej Klassificerad

2.8 Self Reactive Substances and Mixtures

Ej Klassificerad

PERMANENT POTHOLE REPAIR

2.9 Pyrophoric Liquids

Ej Klassificerad

2.10 Pyrophoric Solids

Ej Klassificerad

2.11 Self Heating Substances and Mixtures

Ej Klassificerad

2.12 Substances and Mixtures which in contact with water emit flammable gases

Ej Klassificerad

2.13 Oxidising Liquids

Ej Klassificerad

2.14 Oxidising Solids

Ej Klassificerad

2.15 Organic Peroxides

Ej Klassificerad

2.16 Corrosive to Metals

Ej Klassificerad

Hälsosofarliga effekter

3.1.1 Acute Toxicity (Oral)

Ej Klassificerad

Total of % unknowns 0,0

Unknowns calculation used Low

3.1.2 Acute Toxicity (Dermal)

Ej Klassificerad

XYLENE Below Cut Off%

Acute Tox. 4 - H312

Calculated ATE

1 100,0

Substance ATE Derivation Method

cATPE

Total of % unknowns 0,0

Unknowns calculation used Low

3.1.3 Acute Toxicity (Inhalation)

Ej Klassificerad

1,2,4-TRIMETYL BENZEN Below Cut Off%

Acute Tox. 4 - H332

ATE (Dust/Mist):

1,5

ATE (Gases):

4 500,0

ATE (Vapours):

11,0

Substance ATE Derivation Method

--

PERMANENT POTHOLE REPAIR

XYLENE			Below Cut Off%
Acute Tox. 4 - H332			
ATE (Dust/Mist):	ATE (Gases):	ATE (Vapours):	Substance ATE Derivation Method
--	--	--	--
ETYLBENZEN			Below Cut Off%
Acute Tox. 4 - H332			
ATE (Dust/Mist):	ATE (Gases):	ATE (Vapours):	Substance ATE Derivation Method
1,5	4 500,0	11,0	--
Total of % unknowns	0,0		
Unknowns calculation used	Low		
<u>3.2 Skin Corrosion/Irritation</u>			
Ej Klassificerad			
1,2,4-TRIMETYLBENZEN			Below Cut Off%
Skin Irrit. 2 - H315			
Skin Corrosion		Skin Irrit 2	
--		--	
HYDROGENATED TALLOW AMINE			Below Cut Off%
Skin Irrit. 2 - H315			
Skin Corrosion		Skin Irrit 2	
--		--	
XYLENE			Below Cut Off%
Skin Irrit. 2 - H315			
Skin Corrosion		Skin Irrit 2	
--		--	
Skin Corrosion	0,0		
Skin Irrit 2	0,0		
<u>3.3 Serious Eye Damage/Eye Irritation</u>			
Ej Klassificerad			
1,2,4-TRIMETYLBENZEN			Below Cut Off%
Eye Irrit. 2 - H319			
Eye Dam 1		Eye Irrit 2	
--		--	

PERMANENT POTHOLE REPAIR

HYDROGENATED TALLOW AMINE		Below Cut Off%
Eye Dam. 1 - H318		
Eye Dam 1		Eye Irrit 2
--		--
Eye Dam 1	0,0	
Eye Irrit 2	0,0	
<u>3.4.1 Respiratory Sensitisation</u>		
Ej Klassificerad		
<u>3.4.2 Skin Sensitisation</u>		
Ej Klassificerad		
<u>3.5 Germ Cell Mutagenicity</u>		
Ej Klassificerad		
<u>3.6 Carcinogenicity</u>		
Ej Klassificerad		
<u>3.7 Reproductive Toxicity</u>		
Ej Klassificerad		
<u>3.7.1 Reproductive Toxicity (Lactation)</u>		
Ej Klassificerad		
<u>3.8.1 Specific Target Organ Toxicity - Single Exposure</u>		
Ej Klassificerad		
<u>3.8.2 Specific Target Organ Toxicity - Single Exposure (H335 & H336)</u>		
Ej Klassificerad		
Aromatic Solvent		Below Cut Off%
STOT SE 3 - H335, H336		
STOT SE 3 H335		STOT SE 3 H336
--		--
1,2,4-TRIMETHYLBENZEN		Below Cut Off%
STOT SE 3 - H335		
STOT SE 3 H335		STOT SE 3 H336
--		--
MESITYLEN		Below Cut Off%
STOT SE 3 - H335		
STOT SE 3 H335		STOT SE 3 H336
--		--

PERMANENT POTHOLE REPAIR

PROPYLBENZEN	Below Cut Off%
--------------	----------------

STOT SE 3 - H335

STOT SE 3 H335

STOT SE 3 H336

--

--

CUMENE

Below Cut Off%

STOT SE 3 - H335

STOT SE 3 H335

STOT SE 3 H336

--

--

STOT SE 3 H335 0,0

STOT SE 3 H336 0,0

3.9 Specific Target Organ Toxicity - Repeated Exposure

Ej Klassificerad

Classification Overridden? True

3.10 Aspiration Hazard

Ej Klassificerad

Miljöfarliga egenskaper

4.1.1 Hazardous to the Aquatic Environment Short Term (Acute)

Ej Klassificerad

HYDROGENATED TALLOW AMINE

Below Cut Off%

Aquatic Acute 1 - H400

M-Factor

Aquatic Acute 1

1,0

--

Aquatic Acute 1 0,0

Total of % unknowns 0,0

Unknowns calculation used Low

4.1.2 Hazardous to the Aquatic Environment Long Term (Chronic)

Ej Klassificerad

1,2,4-TRIMETYL BENZEN

Below Cut Off%

Aquatic Chronic 2 - H411

Nedbrytbarhet	M-Factor	Aquatic Chronic 1	Aquatic Chronic 2	Aquatic Chronic 3	Aquatic Chronic 4
--	--	--	--	--	--

MESITYLEN

Below Cut Off%

Aquatic Chronic 2 - H411

Nedbrytbarhet	M-Factor	Aquatic Chronic 1	Aquatic Chronic 2	Aquatic Chronic 3	Aquatic Chronic 4
--	--	--	--	--	--

PERMANENT POTHOLE REPAIR

PROPYLBENZEN Below Cut Off%

Aquatic Chronic 2 - H411

Nedbrytbarhet	M-Factor	Aquatic Chronic 1	Aquatic Chronic 2	Aquatic Chronic 3	Aquatic Chronic 4
--	--	--	--	--	--

CUMENE Below Cut Off%

Aquatic Chronic 2 - H411

Nedbrytbarhet	M-Factor	Aquatic Chronic 1	Aquatic Chronic 2	Aquatic Chronic 3	Aquatic Chronic 4
--	--	--	--	--	--

Aquatic Chronic 1	0,0
-------------------	-----

Aquatic Chronic 2	0,0
-------------------	-----

Aquatic Chronic 3	0,0
-------------------	-----

Aquatic Chronic 4	0,0
-------------------	-----

Total of % unknowns	0,0
---------------------	-----

Unknowns calculation used	Low
---------------------------	-----

5.1 Hazardous to the ozone layer

Ej Klassificerad